



Unterstützte Endgeräte

Hosted-PBX

Version: 2
Datum: 02.02.2017

www.equada.de

Abkürzungsverzeichnis:

- FS** (fully supported / voll unterstützt)
- PS** (partialy supported / teilweise unterstützt)
- NT** (not tested / nicht getestet)
- NS** (not supported / nicht unterstützt)
- IVR** (Interactive Voice Response / Sprachmenü)
- NA** (not available / nicht verfügbar)
- NT** (not tested / nicht getestet)



Vendor	snom VoIP phones														
Product image															
Typ	300 (EOL)	D305	D315	320	D345	360 (EOL) 370 (EOL)	D375	710/D715	720/D725	D745 coming soon	760 (EOL)	D765	870 (EOL)	DECT Snom M9	MeetingPoint
Basic Call Features															
Basic Call	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation Restriction	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Connected Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NT	FS
Call Waiting	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	FS
Call Hold	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Consult and Transfer															
Consultation Call	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Local Conference	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Direct Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	FS
UnAttended Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	PS	FS
Semi-Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	FS
Using CSAS Features															
Ad-hoc Conference	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Dedicated Conference	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on Busy Subscriber	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	PS	FS
Call Completion on No Reply	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	PS	FS
Group Call Pickup	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	PS	NS
Directed Call Pickup	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
Call Park	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	FS
Voicemail	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Message Waiting Indication	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	FS
CTI															
CSTA DesktopControl / C4B	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
Click2Dial MobileControl / DesktopControl	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
General Features															
Speed Dial Keys	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NA	NA
Redial	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call History	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
access to central phonebook	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
local phone book	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Do Not Disturb	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Early Media	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Music on Hold	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NT
CallQueue Pickup	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NT
Parallel Ringing	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Manager Assistant	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
BLF (Free/Busy)	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
Advice of Charge	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NS
CS AS Call Forwarding															
CFU	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFB	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFNR	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFTO	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFSE	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFUR	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Provisioning Capabilities															
Central Provisioning	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Firmware Deployment	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Feature Status Sync	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NS	NA
Programmable Funktion Keys	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	NA	NA
Audio/Media															
G.711 alaw/ulaw	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
G.722	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
DTMF (RFC 2833)	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS



Vendor
Product image
Typ
Basic Call Features
Basic Call
Calling Line Identification Presentation
Calling Line Identification Presentation Restriction
Connected Line Identification Presentation
Call Waiting
Call Hold
Consult and Transfer
Consultation Call
Local Conference
Direct Transfer
UnAttended Transfer
Attended Transfer
Semi-Attended Transfer
Using CSAS Features
Ad-hoc Conference
Dedicated Conference
Call Completion on Busy Subscriber
Call Completion on No Reply
Group Call Pickup
Directed Call Pickup
Call Park
Voicemail
Message Waiting Indication
CTI
CSTA DesktopControl / C4B
Click2Dial MobileControl / DesktopControl
General Features
Speed Dial Keys
Redial
Call History
access to central phonebook
local phone book
Do Not Disturb
Early Media
Music on Hold
CallQueue
CallQueue Pickup
Parallel Ringing
Manager Assistant
BLF (Free/Busy)
Advice of Charge
CS AS Call Forwarding
CFU
CFB
CFNR
CFTO
CFSE
CFUR
Provisioning Capabilities
Central Provisioning
Firmware Deployment
Feature Status Sync
Programmable Funktion Keys
Audio/Media
G.711 alaw/ulaw
G.722
DTMF (RFC 2833)

snom
VoIP phones

UNIFY								
	OpenStage 15	OpenStage 20 (EOL)	OpenStage 40	OpenStage 60	OpenStage 80 (EOL)	Openscape 35G	Openscape 35G Eco	Openscape 55G
Basic Call Features	FS	FS	FS	FS	FS	FS	FS	FS
Basic Call	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation Restriction	FS	FS	FS	FS	FS	FS	FS	FS
Connected Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS
Call Waiting	FS	FS	FS	FS	FS	FS	FS	FS
Call Hold	FS	FS	FS	FS	FS	FS	FS	FS
Consult and Transfer								
Consultation Call	FS	FS	FS	FS	FS	FS	FS	FS
Local Conference	FS	FS	FS	FS	FS	FS	FS	FS
Direct Transfer	FS	FS	FS	FS	FS	FS	FS	FS
UnAttended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Semi-Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Using CSAS Features								
Ad-hoc Conference	FS	FS	FS	FS	FS	FS	FS	FS
Dedicated Conference	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on Busy Subscriber	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on No Reply	FS	FS	FS	FS	FS	FS	FS	FS
Group Call Pickup	FS	FS	FS	FS	FS	FS	FS	FS
Directed Call Pickup	FS	FS	FS	FS	FS	FS	FS	FS
Call Park	NS	NS	NS	NS	NS	NS	NS	NS
Voicemail	FS	FS	FS	FS	FS	FS	FS	FS
Message Waiting Indication	FS	FS	FS	FS	FS	FS	FS	FS
CTI								
CSTA DesktopControl / C4B	FS	FS	FS	FS	FS	FS	FS	FS
Click2Dial MobileControl / DesktopControl	FS	FS	FS	FS	FS	FS	FS	FS
General Features								
Speed Dial Keys	FS	NA	FS	FS	FS	FS	FS	FS
Redial	FS	FS	FS	FS	FS	FS	FS	FS
Call History	FS	FS	FS	FS	FS	FS	FS	FS
access to central phonebook	NS	NS	NS	FS	FS	NS	NS	FS
local phone book	FS	FS	FS	FS	FS	FS	FS	FS
Do Not Disturb	FS	FS	FS	FS	FS	FS	FS	FS
Early Media	FS	FS	FS	FS	FS	FS	FS	FS
Music on Hold	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue Pickup	FS	FS	FS	FS	FS	FS	FS	FS
Parallel Ringing	FS	FS	FS	FS	FS	FS	FS	FS
Manager Assistant	PS	PS	FS	FS	FS	FS	FS	FS
BLF (Free/Busy)	NA	NA	FS	FS	FS	FS	FS	FS
Advice of Charge	NS	NS	NS	NS	NS	NS	NS	NS
CS AS Call Forwarding								
CFU	FS	FS	FS	FS	FS	FS	FS	FS
CFB	FS	FS	FS	FS	FS	FS	FS	FS
CFNR	FS	FS	FS	FS	FS	FS	FS	FS
CFTO	FS	FS	FS	FS	FS	FS	FS	FS
CFSE	FS	FS	FS	FS	FS	FS	FS	FS
CFUR	FS	FS	FS	FS	FS	FS	FS	FS
Provisioning Capabilities								
Central Provisioning	FS	FS	FS	FS	FS	FS	FS	FS
Firmware Deployment	FS	FS	FS	FS	FS	FS	FS	FS
Feature Status Sync	FS	FS	FS	FS	FS	FS	FS	FS
Programmable Funktion Keys	FS	NA	FS	FS	FS	FS	FS	FS
Audio/Media								
G.711 alaw/ulaw	FS	FS	FS	FS	FS	FS	FS	FS
G.722	FS	FS	FS	FS	FS	FS	FS	FS
DTMF (RFC 2833)	FS	FS	FS	FS	FS	FS	FS	FS

UNIFY

Yealink

Grandstream

Gigaset

CISCO

POLYCOM

Panasonic

ASTRA
A Mitel Company



Vendor
Product image
Typ
Basic Call Features
Basic Call
Calling Line Identification Presentation
Calling Line Identification Presentation Restriction
Connected Line Identification Presentation
Call Waiting
Call Hold
Consult and Transfer
Consultation Call
Local Conference
Direct Transfer
UnAttended Transfer
Attended Transfer
Semi-Attended Transfer
Using CSAS Features
Ad-hoc Conference
Dedicated Conference
Call Completion on Busy Subscriber
Call Completion on No Reply
Group Call Pickup
Directed Call Pickup
Call Park
Voicemail
Message Waiting Indication
CTI
CSTA DesktopControl / C4B
Click2Dial MobileControl / DesktopControl
General Features
Speed Dial Keys
Redial
Call History
access to central phonebook
local phone book
Do Not Disturb
Early Media
Music on Hold
CallQueue
CallQueue Pickup
Parallel Ringing
Manager Assistant
BLF (Free/Busy)
Advice of Charge
CS AS Call Forwarding
CFU
CFB
CFNR
CFTO
CFSE
CFUR
Provisioning Capabilities
Central Provisioning
Firmware Deployment
Feature Status Sync
Programmable Funktion Keys
Audio/Media
G.711 alaw/μlaw
G.722
DTMF (RFC 2833)

snom
VoIP phones

UNIFY

Yealink												
	T19P	T20P (EOL)	T21P	T22P	T23G T23P	T26P	T27P	T28P	T29G	T42G/T41P	T46G	T48G
Basic Call Features	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Basic Call	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation Restriction	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Connected Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call Waiting	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call Hold	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Consult and Transfer												
Consultation Call	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Local Conference	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Direct Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
UnAttended Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Semi-Attended Transfer	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS
Using CSAS Features												
Ad-hoc Conference	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Dedicated Conference	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on Busy Subscriber	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on No Reply	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Group Call Pickup	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS
Directed Call Pickup	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS
Call Park	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
Voicemail	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Message Waiting Indication	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CTI												
CSTA DesktopControl / C4B	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Click2Dial MobileControl / DesktopControl	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
General Features												
Speed Dial Keys	NA	NA	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Redial	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Call History	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
access to central phonebook	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
local phone book	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Do Not Disturb	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Early Media	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Music on Hold	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue Pickup	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Parallel Ringing	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Manager Assistant	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS	PS
BLF (Free/Busy)	NA	NA	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Advice of Charge	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
CS AS Call Forwarding												
CFU	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFB	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFNR	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFTO	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFSE	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
CFUR	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Provisioning Capabilities												
Central Provisioning	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Firmware Deployment	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Feature Status Sync	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Programmable Funktion Keys	NA	NA	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Audio/Media												
G.711 alaw/μlaw	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
G.722	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
DTMF (RFC 2833)	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS

Yealink



Vendor	Grandstream							
Product image								
Typ	GXP1610	GXP1620 GXP1625	GXP1628	GXP2130	GXP2140	GXP2160	GXV3240	GXV3275
Basic Call Features								
Basic Call	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation Restriction	FS	FS	FS	FS	FS	FS	FS	FS
Connected Line Identification Presentation	FS	FS	FS	FS	FS	FS	FS	FS
Call Waiting	FS	FS	FS	FS	FS	FS	FS	FS
Call Hold	FS	FS	FS	FS	FS	FS	FS	FS
Consult and Transfer								
Consultation Call	FS	FS	FS	FS	FS	FS	FS	FS
Local Conference	FS	FS	FS	FS	FS	FS	FS	FS
Direct Transfer	FS	FS	FS	FS	FS	FS	FS	FS
UnAttended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Semi-Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Using CSAS Features								
Ad-hoc Conference	FS	FS	FS	FS	FS	FS	FS	FS
Dedicated Conference	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on Busy Subscriber	IVR	IVR	IVR	IVR	IVR	IVR	IVR	IVR
Call Completion on No Reply	IVR	IVR	IVR	IVR	IVR	IVR	IVR	IVR
Group Call Pickup	NS	NS	NS	FS	FS	FS	FS	FS
Directed Call Pickup	NS	NS	NS	FS	FS	FS	FS	FS
Call Park	NS	NS	NS	FS	FS	FS	FS	FS
Voicemail	FS	FS	FS	FS	FS	FS	FS	FS
Message Waiting Indication	FS	FS	FS	FS	FS	FS	FS	FS
CTI								
CSTA DesktopControl / C4B	FS	FS	FS	FS	FS	FS	FS	FS
Click2Dial MobileControl / DesktopControl	FS	FS	FS	FS	FS	FS	FS	FS
General Features								
Speed Dial Keys	FS	FS	FS	FS	FS	FS	FS	FS
Redial	FS	FS	FS	FS	FS	FS	FS	FS
Call History	FS	FS	FS	FS	FS	FS	FS	FS
access to central phonebook	NA	NA	NA	NA	NA	NA	NA	NA
local phone book	FS	FS	FS	FS	FS	FS	FS	FS
Do Not Disturb	FS	FS	FS	FS	FS	FS	FS	FS
Early Media	FS	FS	FS	FS	FS	FS	FS	FS
Music on Hold	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue Pickup	NS	NS	NS	FS	FS	FS	FS	FS
Parallel Ringing	FS	FS	FS	FS	FS	FS	FS	FS
Manager Assistant	NS	NS	NS	FS	FS	FS	FS	FS
BLF (Free/Busy)	FS	FS	FS	FS	FS	FS	FS	FS
Advice of Charge	NA	NA	NA	NA	NA	NA	NA	NA
CS AS Call Forwarding								
CFU	FS	FS	FS	FS	FS	FS	FS	FS
CFB	FS	FS	FS	FS	FS	FS	FS	FS
CFNR	FS	FS	FS	FS	FS	FS	FS	FS
CFTO	FS	FS	FS	FS	FS	FS	FS	FS
CFSE	FS	FS	FS	FS	FS	FS	FS	FS
CFUR	FS	FS	FS	FS	FS	FS	FS	FS
Provisioning Capabilities								
Central Provisioning	FS	FS	FS	FS	FS	FS	FS	FS
Firmware Deployment	FS	FS	FS	FS	FS	FS	FS	FS
Feature Status Sync	FS	FS	FS	FS	FS	FS	FS	FS
Programmable Funktion Keys	FS	FS	FS	FS	FS	FS	FS	FS
Audio/Media								
G.711 alaw/ulaw	FS	FS	FS	FS	FS	FS	FS	FS
G.722	FS	FS	FS	FS	FS	FS	FS	FS
DTMF (RFC 2833)	FS	FS	FS	FS	FS	FS	FS	FS

snom
VoIP phones

UNIFY










Yealink

Grandstream



Vendor	snom VoIP phones	UNIFY	Yealink	Grandstream	Gigaset	Gigaset
Product image						
Typ					DECT N510 IP Pro	DECT N720 IP Pro
Basic Call Features					FS	FS
Basic Call					FS	FS
Calling Line Identification Presentation					FS	FS
Calling Line Identification Presentation Restriction					FS	FS
Connected Line Identification Presentation					FS	FS
Call Waiting					FS	FS
Call Hold					FS	FS
Consult and Transfer						
Consultation Call					FS	FS
Local Conference					FS	FS
Direct Transfer					NS	NS
UnAttended Transfer					FS	FS
Attended Transfer					FS	FS
Semi-Attended Transfer					FS	FS
Using CSAS Features						
Ad-hoc Conference					FS	FS
Dedicated Conference					FS	FS
Call Completion on Busy Subscriber					PS	PS
Call Completion on No Reply					PS	PS
Group Call Pickup					PS	PS
Directed Call Pickup					NS	NS
Call Park					NS	NS
Voicemail					FS	FS
Message Waiting Indication					FS	FS
CTI						
CSTA DesktopControl / C4B					NS	NS
Click2Dial MobileControl / DesktopControl					FS	FS
General Features						
Speed Dial Keys					NA	NA
Redial					FS	FS
Call History					FS	FS
access to central phonebook					NS	NS
local phone book					FS	FS
Do Not Disturb					FS	FS
Early Media					FS	FS
Music on Hold					FS	FS
CallQueue					FS	FS
CallQueue Pickup					FS	FS
Parallel Ringing					FS	FS
Manager Assistant					NS	NS
BLF (Free/Busy)					NS	NS
Advice of Charge					NS	NS
CS AS Call Forwarding						
CFU					FS	FS
CFB					FS	FS
CFNR					FS	FS
CFTO					FS	FS
CFSE					FS	FS
CFUR					FS	FS
Provisioning Capabilities						
Central Provisioning					FS	FS
Firmware Deployment					FS	FS
Feature Status Sync					NS	NS
Programmable Funktion Keys					NS	NS
Audio/Media						
G.711 alaw/ulaw					FS	FS
G.722					FS	FS
DTMF (RFC 2833)					FS	FS



Vendor								
Product image								
Typ	SPA501G	SPA502G	SPA504G	SPA508G	SPA509G	SPA512G	SPA514G	SPA525G2
Basic Call Features								
Basic Call	FS	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation	NA	FS	FS	FS	FS	FS	FS	FS
Calling Line Identification Presentation Restriction	FS	FS	FS	FS	FS	FS	FS	FS
Connected Line Identification Presentation	NT	NT	NT	NT	NT	NT	NT	NT
Call Waiting	FS	FS	FS	FS	FS	FS	FS	FS
Call Hold	FS	FS	FS	FS	FS	FS	FS	FS
Consult and Transfer								
Consultation Call	FS	FS	FS	FS	FS	FS	FS	FS
Local Conference	FS	FS	FS	FS	FS	FS	FS	FS
Direct Transfer	FS	FS	FS	FS	FS	FS	FS	FS
UnAttended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Attended Transfer	FS	FS	FS	FS	FS	FS	FS	FS
Semi-Attended Transfer	NT	NT	NT	NT	NT	NT	NT	NT
Using CSAS Features								
Ad-hoc Conference	FS	FS	FS	FS	FS	FS	FS	FS
Dedicated Conference	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on Busy Subscriber	FS	FS	FS	FS	FS	FS	FS	FS
Call Completion on No Reply	FS	FS	FS	FS	FS	FS	FS	FS
Group Call Pickup	PS	PS	PS	PS	PS	PS	PS	PS
Directed Call Pickup	PS	PS	PS	PS	PS	PS	PS	PS
Call Park	NS	NS	NS	NS	NS	NS	NS	NS
Voicemail	FS	FS	FS	FS	FS	FS	FS	FS
Message Waiting Indication	FS	FS	FS	FS	FS	FS	FS	FS
CTI								
CSTA DesktopControl / C4B	NT	NT	NT	NT	NT	NT	NT	NT
Click2Dial MobileControl / DesktopControl	NT	NT	NT	NT	NT	NT	NT	NT
General Features								
Speed Dial Keys	FS	NA	FS	FS	FS	NA	FS	FS
Redial	FS	FS	FS	FS	FS	FS	FS	FS
Call History	FS	FS	FS	FS	FS	FS	FS	FS
access to central phonebook	NS	NS	NS	NS	NS	NS	NS	NS
local phone book	FS	FS	FS	FS	FS	FS	FS	FS
Do Not Disturb	FS	FS	FS	FS	FS	FS	FS	FS
Early Media	FS	FS	FS	FS	FS	FS	FS	FS
Music on Hold	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue	FS	FS	FS	FS	FS	FS	FS	FS
CallQueue Pickup	FS	FS	FS	FS	FS	FS	FS	FS
Parallel Ringing	FS	FS	FS	FS	FS	FS	FS	FS
Manager Assistant	NS	NS	NS	NS	NS	NS	NS	NS
BLF (Free/Busy)	FS	NA	FS	FS	FS	NA	FS	FS
Advice of Charge	NS	NS	NS	NS	NS	NS	NS	NS
CS AS Call Forwarding								
CFU	FS	FS	FS	FS	FS	FS	FS	FS
CFB	FS	FS	FS	FS	FS	FS	FS	FS
CFNR	FS	FS	FS	FS	FS	FS	FS	FS
CFTO	FS	FS	FS	FS	FS	FS	FS	FS
CFSE	FS	FS	FS	FS	FS	FS	FS	FS
CFUR	FS	FS	FS	FS	FS	FS	FS	FS
Provisioning Capabilities								
Central Provisioning	FS	FS	FS	FS	FS	FS	FS	FS
Firmware Deployment	FS	FS	FS	FS	FS	FS	FS	FS
Feature Status Sync	NS	NS	NS	NS	NS	NS	NS	NS
Programmable Funktion Keys	FS	FS	FS	FS	FS	FS	FS	FS
Audio/Media								
G.711 alaw/ulaw	FS	FS	FS	FS	FS	FS	FS	FS
G.722	FS	FS	FS	FS	FS	FS	FS	FS
DTMF (RFC 2833)	FS	FS	FS	FS	FS	FS	FS	FS



Vendor	snom VoIP phones	UNIFY	Yealink	Grandstream	Gigaset	CISCO	Conf. IP4000	POLYCOM
Product image								
Typ								
Basic Call Features								
Basic Call							FS	
Calling Line Identification Presentation							FS	
Calling Line Identification Presentation Restriction							FS	
Connected Line Identification Presentation							NT	
Call Waiting							FS	
Call Hold							FS	
Consult and Transfer								
Consultation Call							FS	
Local Conference							FS	
Direct Transfer							NT	
UnAttended Transfer							NT	
Attended Transfer							NT	
Semi-Attended Transfer							NT	
Using CSAS Features								
Ad-hoc Conference							NT	
Dedicated Conference							FS	
Call Completion on Busy Subscriber							NT	
Call Completion on No Reply							NT	
Group Call Pickup							NT	
Directed Call Pickup							NT	
Call Park							NT	
Voicemail							NT	
Message Waiting Indication							NT	
CTI								
CSTA DesktopControl / C4B								
Click2Dial MobileControl / DesktopControl							NT	
General Features								
Speed Dial Keys							NT	
Redial							FS	
Call History							FS	
access to central phonebook							NA	
local phone book							FS	
Do Not Disturb							FS	
Early Media							FS	
Music on Hold							FS	
CallQueue							NT	
CallQueue Pickup							NT	
Parallel Ringing							FS	
Manager Assistant							NA	
BLF (Free/Busy)							NA	
Advice of Charge							NS	
CS AS Call Forwarding								
CFU							FS	
CFB							FS	
CFNR							FS	
CFTO							NT	
CFSE							FS	
CFUR							FS	
Provisioning Capabilities								
Central Provisioning							NA	
Firmware Deployment							NA	
Feature Status Sync							NA	
Programmable Funktion Keys							NA	
Audio/Media								
G.711 alaw/ulaw							FS	
G.722							NS	
DTMF (RFC 2833)							FS	



Vendor
Product image
Typ
Basic Call Features
Basic Call Calling Line Identification Presentation Calling Line Identification Presentation Restriction Connected Line Identification Presentation Call Waiting Call Hold
Consult and Transfer
Consultation Call Local Conference Direct Transfer UnAttended Transfer Attended Transfer Semi-Attended Transfer
Using CSAS Features
Ad-hoc Conference Dedicated Conference Call Completion on Busy Subscriber Call Completion on No Reply Group Call Pickup Directed Call Pickup Call Park Voicemail Message Waiting Indication
CTI
CSTA DesktopControl / C4B Click2Dial MobileControl / DesktopControl
General Features
Speed Dial Keys Redial Call History access to central phonebook local phone book Do Not Disturb Early Media Music on Hold CallQueue CallQueue Pickup Parallel Ringing Manager Assistant BLF (Free/Busy) Advice of Charge
CS AS Call Forwarding
CFU CFB CFNR CFTO CFSE CFUR
Provisioning Capabilities
Central Provisioning Firmware Deployment Feature Status Sync Programmable Funktion Keys
Audio/Media
G.711 alaw/ulaw G.722 DTMF (RFC 2833)

snom
VoIP phones

UNIFY

Yealink

Grandstream

Gigaset






CISCO

POLYCOM

Panasonic					
IOT in progress					
HDV130	HDV230	HDV330	DECT KX-TGP500	DECT KX-TGP550	DECT KX-TGP600
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
NT	NT	NT	NT	NT	NT
NT	NT	NT	NT	NT	NT
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
NT	NT	NT	NT	NT	NT
PS	PS	PS	PS	PS	PS
FS	FS	FS	FS	FS	FS
PS	PS	PS	PS	PS	PS
PS	PS	PS	PS	PS	PS
PS	PS	PS	PS	PS	PS
NS	NS	NS	NS	NS	NS
NS	NS	NS	NS	NS	NS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
NS	NS	NS	NS	NS	NS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
NS	NS	NS	NS	NS	NS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
NS	NS	NS	NS	NS	NS
NS	NS	NS	NS	NS	NS
NS	NS	NS	NS	NS	NS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS
FS	FS	FS	FS	FS	FS

Panasonic



Vendor	snom VoIP phones	UNIFY	Yealink	Grandstream	Gigaset	CISCO	POLYCOM	Panasonic	AASTRA A Mitel Company	AASTRA A Mitel Company			
Product image									    				
Typ									6730i 6731i	6735i 6755i	6737i 6757i	6739i	6753i
Basic Call Features									FS	FS	FS	FS	FS
Basic Call									FS	FS	FS	FS	FS
Calling Line Identification Presentation									FS	FS	FS	FS	FS
Calling Line Identification Presentation Restriction									FS	FS	FS	FS	FS
Connected Line Identification Presentation									NT	NT	NT	NT	NT
Call Waiting									FS	FS	FS	FS	FS
Call Hold									FS	FS	FS	FS	FS
Consult and Transfer													
Consultation Call									FS	FS	FS	FS	FS
Local Conference									FS	FS	FS	FS	FS
Direct Transfer									FS	FS	FS	FS	FS
UnAttended Transfer									FS	FS	FS	FS	FS
Attended Transfer									FS	FS	FS	FS	FS
Semi-Attended Transfer									PS	PS	PS	PS	PS
Using CSAS Features													
Ad-hoc Conference									FS	FS	FS	FS	FS
Dedicated Conference									FS	FS	FS	FS	FS
Call Completion on Busy Subscriber									FS	FS	FS	FS	FS
Call Completion on No Reply									FS	FS	FS	FS	FS
Group Call Pickup									FS	FS	FS	FS	FS
Directed Call Pickup									FS	FS	FS	FS	FS
Call Park									NS	NS	NS	NS	NS
Voicemail									FS	FS	FS	FS	FS
Message Waiting Indication									FS	FS	FS	FS	FS
CTI													
CSTA DesktopControl / C4B									NS	NS	NS	NS	NS
Click2Dial MobileControl / DesktopControl									FS	FS	FS	FS	FS
General Features													
Speed Dial Keys									FS	FS	FS	FS	FS
Redial									FS	FS	FS	FS	FS
Call History									FS	FS	FS	FS	FS
access to central phonebook									FS	FS	FS	FS	FS
local phone book									FS	FS	FS	FS	FS
Do Not Disturb									FS	FS	FS	FS	FS
Early Media									FS	FS	FS	FS	FS
Music on Hold									FS	FS	FS	FS	FS
CallQueue									FS	FS	FS	FS	FS
CallQueue Pickup									FS	FS	FS	FS	FS
Parallel Ringing									FS	FS	FS	FS	FS
Manager Assistant									FS	FS	FS	FS	FS
BLF (Free/Busy)									PS	PS	PS	PS	PS
Advice of Charge									FS	FS	FS	FS	FS
CS AS Call Forwarding									NS	NS	NS	NS	NS
CFU									FS	FS	FS	FS	FS
CFB									FS	FS	FS	FS	FS
CFNR									FS	FS	FS	FS	FS
CFTO									FS	FS	FS	FS	FS
CFSE									FS	FS	FS	FS	FS
CFUR									FS	FS	FS	FS	FS
Provisioning Capabilities													
Central Provisioning									FS	FS	FS	FS	FS
Firmware Deployment									FS	FS	FS	FS	FS
Feature Status Sync									NS	NS	NS	NS	NS
Programmable Funktion Keys									FS	FS	FS	FS	FS
Audio/Media													
G.711 alaw/μlaw									FS	FS	FS	FS	FS
G.722									FS	FS	FS	FS	FS
DTMF (RFC 2833)									FS	FS	FS	FS	FS